

### **Data-Informed Overdose Risk Mitigation**

Marianne Gibson
Chief of Staff/Chief Business Strategy Officer
MD THINK


October 24,2022

#### **DORM Overview**


- Chapter 211 Act of 2018
- Requires the Maryland Department of Health to produce an annual report that links individual-level death records from overdose decedents to public health and public safety sets
- Linked risk profiles are used to inform policy and programmatic decision-making
- Report due July 1st of each year



#### **DORM Data Functional Model**




## **Fatal Overdoses Involving All Substances**





## Overdose Deaths by Race/Ethnicity (2011–2020)





## Overdose Deaths by Age and Race/Ethnicity

#### Since 2016 to 2020, overdose deaths among...



Non-Hispanic Black Marylanders aged 55+



+119.7%

(From 147 to 323)



Non-Hispanic white Marylanders aged 55+




+55.7%

(From 158 to 246)



## **Buprenorphine Dispensed by Race**






### **Hospital Interactions**




 Seventy percent of individuals who died in the six year study period had an interaction with a Maryland hospital.




Of those, about 40% were seen for an overdose-related event.



#### **Demographics**



of overdose decedents had a high school diploma or equivariant degree or did not finish high school



Nearly 70% of overdose decedents were eligible for Medicaid within 12 months of their death



# **Policy Recommendations**



### **Expand MOUD Access for Black Marylanders**

- White Marylanders may be disproportionately dispensed buprenorphine more often than Black Marylanders.
- Further understand barriers to expanding access to buprenorphine among Black Marylanders to eliminate those barriers.





### **Expand Targeted Naloxone Distribution**

- Continue targeted naloxone distribution to the friends and families of people who use drugs.
- Explore contributing factors that are preventing bystander intervention.
- Support STOP Act implementation






#### **Care Coordination**

- Over 70% of overdose decedents were Medicaideligible within 12 months before their death.
- Continued outreach efforts are needed to connect the Medicaid-eligible population to health care services and to address the social determinants of health among this population.





#### DORM as a Pilot Use Case for CAA



#### Data

Engage with stakeholders to share data on the MD THINK platform.

#### Insights

Complete data analytics to identify high-risk populations and risk factors for severe outcomes.

#### Policy

Insights from DORM inform the Statewide Targeted Overdose Prevention (STOP) ACT of 2022.

#### **Lives Saved**

Through implementation of the STOP ACT,
Maryland will increase naloxone saturation, resulting in hundreds of lives saved each year.



### **Questions?**

#### **Contact:**

Marianne Gibson
Chief of Staff and
Chief Business Strategy Officer, MD THINK

Marianne.Gibson@maryland.gov

